



Reg. ID	: 169432	Panel Company	: PRIMUS HOSPITAL
Name of Patient	: MRS. NILAM KUMARI	Lab Request ID	: DLL953089
Age/Gender	: 54 years / Female	Sample Collection Date	: Feb 01, 2022, 03:42 p.m.
Refd by Dr.	: PRIMUS	Sample Acknowledgment Date	: Feb 01, 2022, 03:42 p.m.
Mobile No.	: 9006000955	Test Reported On	: Feb 02, 2022, 04:33 p.m.
Sample Type	: OROPHARYNGEAL & NASOPHARYNGEAL SWAB	SRF ID	: 0708503113183

Covid-19 Virus RT-PCR (open system) Qualitative - Centre Visit

Covid-19 RT-PCR (open system) SARS-COV-2 NEGATIVE

Method : RT-PCR (open system)

INTERPRETATION

Negative	RNA specific to SARS-CoV-2 Not Detected
Positive	RNA specific to SARS-CoV-2 Detected
Inconclusive	This could be due to low viral load in the sample. A repeat sample is recommended for confirmation.

Disclaimer: Low Viral Load may indicate early incubation or late incubation phase. Two different samples taken at two different times and different conditions shall not be liable for the same results.

Note

- ICMR Registration number for Covid -19 is **DLCLPBD**.
- Negative result does not rule out the possibility of Covid-19 infection. Presence of inhibitors, mutations & insufficient RNA specific to SARSCoV-2 can influence the test result.
- Kindly correlate the results with clinical findings. A negative result in a single upper respiratory tract sample does not rule out SARS-CoV-2 infection. Hence in such cases a repeat sample should be sent. Lower respiratory tract samples like Sputum, BAL, ET aspirate are appropriate samples especially in severe and progressive lung disease
- Covid-19 Test conducted using automated extractor and biorad CFX96 and trupcr rt per kits approved by ICMR
- Kindly consult referring Physician / Authorized hospitals for appropriate follow up

Conditions of Reporting

Laboratory results should be used with other clinical information to determine a final diagnosis. For any unexpected test results please contact the laboratory. Laboratory does not verify the identity or the details of the customer and cannot be held responsible for any misrepresentation or misuse. The results cannot be used for medico-legal purpose. There may be incidences beyond our control which could result in delay of testing. All tests have been carried out with reasonable care, clinical safety & technical integrity, however there could be some factors beyond control which can affect the accuracy of results.

****END OF REPORT****

Do not accept any COVID-19 report without working QR Code. The laboratory shall not be held responsible for any such reports.

Rashmi
Dr Rashmi Bahri
M.B.B.S, M.D (Micro)
Consultant Microbiologist

